## IN THE CLAIMS

Please amend claims 1-5, 7-13, 16-18, 39-42, 44, 50-53 and 55. Please cancel claim 15. The current status of the claims is reflected in the below listing of claims.

- 1. (Currently Amended) A catalyst for use in exidation or reduction reactions, the catalyst comprising platinum, The catalyst of claim 6 wherein the chromium at a concentration that is no greater than 30 atomic percent, and copper, the nickel reaction that is at least 35 atomic percent.
- 2. (Currently Amended) A catalyst for use in exidation or reduction reactions, the catalyst comprising platinum, chromium, and copper, nickel, or a combination thereof, The catalyst of claim 6 wherein the concentration of copper, nickel, or a combination thereof is at least 45 atomic percent.
- 3. (Currently Amended) A catalyst for use in exidation or reduction reactions, the catalyst The catalyst of claim 6 comprising platinum, chromium, copper and nickel.
- 4. (Currently Amended) A catalyst for use in exidation or reduction reactions, the catalyst comprising platinum, chromium, and copper, The catalyst of claim 6 wherein the concentration of chromium is no greater than 30 atomic percent.
- (Currently Amended) A catalyst for use in exidation or reduction reactions, the catalyst comprising platinum, chromium,

and nickel, The catalyst of claim 6 wherein the concentration of nickel is at least 35 atomic percent.

- (Original) A catalyst for use in oxidation or reduction reactions, the catalyst comprising platinum, chromium, and nickel, wherein the concentration of platinum is less than 40 atomic percent.
- 7. (Currently Amended) The catalyst of claim —1 <u>6</u> wherein the platinum concentration is between about 5 and about 50 atomic percent no greater than about 35 atomic percent.
- 8. (Currently Amended) The catalyst of claim  $\frac{-2}{}$  6 wherein the chromium concentration is no greater than about  $\frac{-55}{}$  25 atomic percent.
- 9. (Currently Amended) The catalyst of claim 6 wherein the platinum concentration is between about 15 atomic percent and about 40 atomic percent, the chromium concentration is between about 5 and about 25 atomic percent, and the concentration of expers, nickel or a combination thereof is between about 45 and about 70 atomic percent.
- 10. (Currently Amended) The catalyst of claim 1 A catalyst for use in oxidation or reduction reactions, the catalyst comprising platinum, chromium, and copper, nickel, or a combination thereof, wherein the platinum concentration is between about 20 and about 35 atomic percent, the chromium concentration is between about 5 and about 25 atomic percent, and the concentration of copper, nickel or a combination thereof is between about 50 and about 65 atomic percent.

- 11. (Currently Amended) The eatalyst of claim 1 A catalyst for use in oxidation or reduction reactions, the catalyst comprising platinum, chromium, and copper, nickel, or a combination thereof, wherein the platinum concentration is between about 20 and about 30 atomic percent, the chromium concentration that is between about 5 and about 25 atomic percent, and the concentration of copper, nickel or a combination thereof is between about 50 and about 65 atomic percent.
- 12. (Currently Amended) A catalyst for use in exidation or reduction reactions, the catalyst comprising platinum at a concentration that is between about 15 and about 50 atomic percent, The catalyst of claim 6 comprising chromium at a concentration that is between about 5 and about 45 atomic percent, and copper nickel at a concentration that is between about 15 and about 50 atomic percent.
- 13. (Currently Amended) The catalyst of claim 12 wherein the platinum concentration is between about 35 and about 50 atomic percent no greater than about 35 atomic %.
- 14. (Previously Presented) The catalyst of claim 12 wherein the chromium concentration is between about 5 and about 35 atomic percent.
  - 15. (Canceled)

- 16. (Currently Amended) The catalyst of claim 6
  wherein the catalyst consists essentially of platinum, chromium,
  and copper, nickel , or a combination thereof.
- 17. (Currently Amended) The catalyst of claim -1 <u>6</u> wherein the catalyst comprises an alloy of platinum, chromium, and copper, nickel  $\tau$  or a combination thereof.
- 18. (Currently Amended) The catalyst of claim —1 <u>6</u> wherein the catalyst consists essentially of an alloy of platinum, chromium, and <del>copper,</del> nickel <del>, or a combination thereof</del>.
- 19. (Previously Presented) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of claim 1 and electrically conductive support particles upon which the catalyst is dispersed.
  - 20. 38. (Canceled)
- 39. (Currently Amended) The catalyst of claim 2 wherein the platinum concentration is between about 5 and about 50 atomic percent no greater than about 35 atomic percent.
- 40. (Currently Amended) The catalyst of claim 2 wherein the catalyst consists essentially of platinum, chromium, and copper, nickel, or a combination thereof.

- 41. (Currently Amended) The catalyst of claim 2 wherein the catalyst comprises an alloy of platinum, chromium, and <del>copper,</del> nickel , or a combination thereof.
- 42. (Currently Amended) The catalyst of claim 2 wherein the catalyst consists essentially of an alloy of platinum, chromium, and copper, nickel , or a combination thereof.
- 43. (Previously Presented) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of claim 2 and electrically conductive support particles upon which the catalyst is dispersed.
- 44. (Currently Amended) The catalyst of claim 3 wherein the platinum concentration is between about 5 and about 50 atomic percent no greater than about 35 atomic percent.
- 45. (Previously Presented) The catalyst of claim 3 wherein the chromium concentration is no greater than about 55 atomic percent.
- 46. (Previously Presented) The catalyst of claim 3 wherein the catalyst consists essentially of platinum, chromium, copper and nickel.
- 47. (Previously Presented) The catalyst of claim 3 wherein the catalyst comprises an alloy of platinum, chromium, copper and nickel.

PATENT

- 48. (Previously Presented) The catalyst of claim 3 wherein the catalyst consists essentially of an alloy of platinum, chromium, copper and nickel.
- 49. (Previously Presented) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of claim 3 and electrically conductive support particles upon which the catalyst is dispersed.
- 50. (Currently Amended) The catalyst of claim 4 wherein the platinum concentration is between about 5 and about 50 atomic percent no greater than about 35 atomic percent.
- 51. (Currently Amended) The catalyst of claim 4 wherein the catalyst consists essentially of platinum, chromium and eepper nickel.
- 52. (Currently Amended) The catalyst of claim 4 wherein the catalyst comprises an alloy of platinum, chromium and copper nickel.
- 53. (Currently Amended) The catalyst of claim 4 wherein the catalyst consists essentially of an alloy of platinum, chromium and copper nickel.
- 54. (Previously Presented) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of claim 4 and electrically conductive support particles upon which the catalyst is dispersed.

- 55. (Currently Amended) The catalyst of claim 5 wherein the platinum concentration is between about 5 and about 50 atomic percent no greater than about 35 atomic percent.
- 56. (Previously Presented) The catalyst of claim 5 wherein the catalyst consists essentially of platinum, chromium and nickel.
- 57. (Previously Presented) The catalyst of claim 5 wherein the catalyst comprises an alloy of platinum, chromium and nickel.
- 58. (Previously Presented) The catalyst of claim 5 wherein the catalyst consists essentially of an alloy of platinum,
- 59. (Previously Presented) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of claim 5 and electrically conductive support particles upon which the catalyst is dispersed.
- 60. (Previously Presented) The catalyst of claim 6 wherein the chromium concentration is no greater than about 55 atomic percent.
- 61. (Previously Presented) The catalyst of claim 6 wherein the catalyst consists essentially of platinum, chromium and nickel.

- PATENT
- 62. (Previously Presented) The catalyst of claim 6 wherein the catalyst comprises an alloy of platinum, chromium and nickel.
- 63. (Previously Presented) The catalyst of claim 6 wherein the catalyst consists essentially of an alloy of platinum, chromium and nickel.
- 64. (Previously Presented) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of claim 6 and electrically conductive support particles upon which the catalyst is dispersed.